

# Safety Data Sheet

Version 3

# 1. Identification of the Substance/Preparation and of the Company/Undertaking

<u>Product Identifier</u> Product name Chemical name	SPRAYPAK LEMON FURNITURE POLISH 7-7937-3
<u>Other means of identification</u> Product code Synonyms	FG 433-4109-11 Furniture Polish
Recommended use of the chemical	and restrictions on use
Recommended Use	Wood cleaner and protectant.
Uses advised against	DO NOT USE ON FLOORS
Details of the supplier of the safety	data sheet
Supplier Address	Manufacturer Address
Chase Products Co.	Chase Products Co.
2727 Gardner Road	2727 Gardner Road
Broadview, IL 60155	Broadview, IL 60155
708-865-1000	708-865-1000
Emergency Telephone Number Company Phone Number	708-865-1000

# 2. Hazards Identification

ChemTel 1-800-255-3924

# **Classification**

Emergency telephone

Acute toxicity - Inhalation (Gases)	Category 4
Aspiration toxicity	Category 1
FLAMMABLE AEROSOLS	Category 2
Gases Under Pressure	liquefied gas

#### Label Elements

#### **EMERGENCY OVERVIEW**

DANGER

hazard statements HARMFUL IF INHALED May be fatal if swallowed and enters airways Flammable Aerosol Contains gas under pressure; may explode if heated

24 Hour Emergency Phone Number 1-800-255-3924



#### Appearance White, creamy emulsion. Physical State Aerosol

#### **Precautionary Statements - Prevention**

Avoid breathing fumes, mist, vapors or spray. Use only outdoors or in a well-ventilated area Keep away from heat, sparks, open flames and hot surfaces. — No smoking Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use

## **Precautionary Statements - Response**

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor if you feel unwell IF SWALLOWED: Immediately call a POISON CENTER or doctor Do NOT induce vomiting

#### **Precautionary Statements - Storage**

Store locked up Protect from sunlight. Store in a well-ventilated place Do not expose to temperatures exceeding 122 °F (50 °C)

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

#### Other Information

• Toxic to aquatic life with long lasting effects

• Harmful to aquatic life

-

#### 3. Composition/information on Ingredients

Synonyms	
Chemical Family	
Formula	

Furniture Polish. MIXTURES. 7-7937-3

Chemical name	CAS No	weight-%	Trade secret
Water	7732-18-5	70-75	*
Isoparaffinic Hydrocarbon	64742-47-8	5-10	*
Propane	74-98-6	1-5	*
n-butane	106-97-8	1-5	*
Naphtha (petroleum), light alkylate	64741-66-8	1-5	*

\* The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. First aid measures

# FIRST AID MEASURES

Eye Contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Skin contact	In case of contact, immediately flush skin with plenty of water. Wash skin with soap and water. If irritation develops, consult a physician.
Inhalation	If overcome by vapor, move person to fresh air. If person is not breathing, call 911 or an ambulance, then provide artifical respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advise.

Odor Lemon

Ingestion	Ingestion from an aerosol product is unlikely to occur. Contains petroleum distillates. Harmful if swallowed. If accidentally swallowed, do not induce vomiting, call physician immediately.	
Most important symptoms and effe	cts, both acute and delayed	
Symptoms	Acute: Prolonged inhalation of concentrated vapor or mist may cause headaches, dizziness and nausea. Prolonged and repeated contact with skin may cause irritation and reddening. Contact with eyes causes irritation.	
Indication of any immediate medica	al attention and special treatment needed	
Note to physicians	Contains petroleum distillates, do not induce vomiting because of aspiration neumonia hazard.	
5. Fire-fighting measures		

## Suitable extinguishing media

Dry chemical, CO2 or water spray.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

# Specific hazards arising from the chemical

This product is under pressure. Water spray may be used to cool cans in the vicinity of fire or excessive heat to prevent the explosion of the cans.

Hazardous combustion products Thermal decomposition may release carbon monoxide and carbon dioxide.

#### Explosion data

Sensitivity to Mechanical Impact Contents under pressure, keep away from heat and open flame.

Sensitivity to Static Discharge Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Use with adequate general or local exhaust ventilation.
For emergency responders	Remove all sources of ignition.
Environmental precautions	
Environmental precautions	See Section 12 for additional Ecological Information.
Methods and material for containm	ent and cleaning up
Methods for Containment	Provide adequate ventilation to area being treated. Soak up spills with chemically inert, absorbent material.
Methods for cleaning up	Clean contaminated surface thoroughly.
	7. Handling and Storage
Precautions for safe handling	
Advice on safe handling	Do not deliberately inhale vapor or spray mist. Avoid getting spray into eyes. Keep out of reach of children.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions	Store in a cool, dry place away from heat and open flame. Keep out of reach of children. AEROSOL STORAGE LEVEL I (NFPA-30B) .
Incompatible Materials	Avoid heat, open flame and contact with strong oxidizers.

# 8. Exposure Controls/Personal Protection

#### Control parameters

#### Exposure guidelines

See occupational exposure limits listed below.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Propane	: See Appendix F: Minimal	TWA: 1000 ppm	IDLH: 2100 ppm
74-98-6	Oxygen Content, explosion	TWA: 1800 mg/m <sup>3</sup>	TWA: 1000 ppm
	hazard	(vacated) TWA: 1000 ppm	TWA: 1800 mg/m <sup>3</sup>
		(vacated) TWA: 1800 mg/m <sup>3</sup>	
n-butane	STEL: 1000 ppm explosion	(vacated) TWA: 800 ppm	IDLH: 1600 ppm
106-97-8	hazard	(vacated) TWA: 1900 mg/m <sup>3</sup>	TWA: 800 ppm
			TWA: 1900 mg/m <sup>3</sup>

#### Appropriate engineering controls

**Engineering controls** Use with adequate general or local exhaust ventilation.

# Individual protection measures, such as personal protective equipment

Eye/face Protection	Conventional eyeglasses to guard against splashing.
Skin and Body Protection	Household type gloves.
Respiratory protection	None required if used in a well-ventilated area .
General hygiene considerations	Wash hands thoroughly after handling.

# 9. Physical and Chemical Properties

# Information on basic physical and chemical properties

Physical State Appearance Color	Aerosol White, creamy emulsion. White	Odor Odor threshold	Lemon No information available
Property	Values	Remarks • Method	
pH	Not applicable	Water-oil emulsion.	
Melting point/freezing point	Not applicable	No information available	
Boiling point/boiling range	Water 212 °F/100 °C	No information available	
Flash Point	Not Available. This is an aerosol	No information available	
	product for which Flame Projection is	0	
	inches. Temperatures above 120 °F		
	may cause cans to burst.		
Evaporation Rate	Faster than butyl acetate	No information available	
Flammability (solid, gas)		No information available	
Flammability Limits in Air		No information available	
Upper flammability limits	Not available		
Lower Flammability Limit	Not available		
Vapor pressure		No information available	
Vapor Density		No information available	
Relative Density	0.93 to 0.95 g/ml concentrate	No information available	
Water solubility	Insoluble in water	No information available	

Solubility in other solvents
Partition coefficient
Autoignition Temperature
Decomposition temperature
Kinematic viscosity
Dynamic viscosity
Explosive properties
Oxidizing properties

#### **Other Information**

Softening point Molecular weight VOC content (%) Density Bulk Density No information available No information available

No information available No information available 11.66% 7.83 lb/gal No information available No information available

# **10. Stability and Reactivity**

Reactivity

Not applicable

#### Chemical stability Stable.

# Possibility of hazardous reactions

Temperatures above 130 °F may cause cans to burst with force.

hazardous polymerization

Hazardous polymerization does not occur.

#### Conditions to Avoid

Temperatures above 122 °F (50 °C).

#### Incompatible Materials

Avoid heat, open flame and contact with strong oxidizers.

#### Hazardous decomposition products

Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

## **11. Toxicological Information**

#### Information on likely routes of exposure

Product Information	This product has not been tested as whole. See below for information on ingredients.	
Inhalation	See data below.	
Eye Contact	Not data available.	
Skin contact	See data below.	
Ingestion	See data below.	

Chemical name	Oral LD50	dermal LD50	Inhalation LC50
Water	> 90 mL/kg (Rat)	-	-
7732-18-5			
Isoparaffinic Hydrocarbon	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat)4 h
64742-47-8			
Propane	-	-	> 800000 ppm (Rat) 15 min
74-98-6			
n-butane	-	-	= 658 g/m <sup>3</sup> (Rat) 4 h

106-97-8			
Naphtha (petroleum), light alkylate 64741-66-8	> 7000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 6.31 mg/L (Rat)4 h

#### Information on toxicological effects

Symptoms	Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,
	tiredness, nausea and vomiting.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	May cause irritation after prolonged contact with skin.
Serious eye damage/eye irritation	Irritating to eyes.
irritation	May cause skin and eye irritation.
corrosivity	Not applicable.
sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	Not known chronic effects based on available data. None of the ingredients present in excess of 0.1% are listed as carcinogenic by NTP, IARC or OSHA.

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration Hazard	No information available.

## Numerical measures of toxicity - Product Information

Unknown acute toxicity

#### The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	35844 mg/kg
ATEmix (dermal)	11099 mg/kg
ATEmix (inhalation-gas)	17560 mg/l
ATEmix (inhalation-dust/mist)	3.2 mg/l
ATEmix (inhalation-vapor)	37 mg/l

# **12. Ecological Information**

#### ecotoxicity

See information listed below.

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Isoparaffinic Hydrocarbon 64742-47-8		<ul> <li>2.2: 96 h Lepomis macrochirus mg/L LC50 static</li> <li>2.4: 96 h Oncorhynchus mykiss mg/L LC50 static</li> <li>45: 96 h Pimephales promelas mg/L LC50 flow-through</li> </ul>		
Naphtha (petroleum), light alkylate 64741-66-8	30000: 72 h Pseudokirchneriella subcapitata mg/L EC50			2: 48 h Mysidopsis bahia mg/L LC50

#### Persistence and degradability

#### No information available.

#### Bioaccumulation

No information available.

Chemical name	Partition coefficient
---------------	-----------------------

# FG 433-4109-11 SPRAYPAK LEMON FURNITURE POLISH

Propane	2.3
Propane 74-98-6	
n-butane	2.89
106-97-8	

Other adverse effects

No information available

## **13. Disposal Considerations**

Waste treatment methods

**Disposal of wastes** 

Dispose of in accordance with federal, state and local regulations.

**Contaminated packaging** Pressurized container: Do not pierce or burn, even after use. Do not puncture or incinerate container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions.

# **14. Transport Information**

DOT	
UN/ID no	Limited Quantity
Proper Shipping Name	Consumer Commodity
Hazard Class	NA

IATA	
UN/IE	) no
Prop	er Shipping Name
Haza	rd Class

#### IMDG

UN/ID no Proper Shipping Name Hazard Class Aerosols, flammable 2.1

UN1950

UN1950 Aerosols, flammable 2.1

# 15. Regulatory information

#### International Inventories TSCA

All ingredients of this product are listed or are excluded from listing under the U.S. Toxic Subtances Control Act (TSCA) Chemical Substance Inventory. All ingredients are listed or are excluded from listing on the DSL.

## DSL

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

## US Federal Regulations

## <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals (above the de-minimis level) which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute Health Hazard	yes
Chronic Health Hazard	No
Fire Hazard	yes
Sudden release of pressure hazard	No
Reactive Hazard	No

## CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water			Х
7732-18-5			
Propane	X	X	Х
74-98-6			
n-butane	X	X	Х
106-97-8			

#### U.S. EPA Label information

EPA Pesticide registration number Not applicable

16. Other information						
NFPA	Health Hazards 1	Flammability 1	Instability 1	Physical and chemical properties Not applicable		
<u>HMIS</u>	Health Hazards 1	Flammability 2	Physical hazards 1	Personal Protection B - Eyes and hands protection		
Propared by	Pogulator	v Department				

Prepared byRegulatory DepartmentIssue date28-Sep-2022Revision noteSDS supersedes a previous SDS dated:06-May-2021

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### End of Safety Data Sheet