

# **Safety Data Sheet**

Issue date 09-Oct-2019 Version 3

# 1. Identification of the Substance/Preparation and of the Company/Undertaking

**Product Identifier** 

Product name SPRAYPAK FOAMING CLEANER

Chemical name 7-7787-3

Other means of identification

Product code FG 433-4103-5GHS Synonyms Disinfectant and cleaner

Registration number(s) 498-62

Recommended use of the chemical and restrictions on use

Recommended Use To clean and deodorize all hard, nonporous washable household surfaces such as

bathtubs, sinks, toilet bowl seats, etc.

**Uses advised against** Do not use as a glass cleaner.

Details of the supplier of the safety data sheet

Supplier Address
Chase Products Co.
2727 Gardner Road
Broadview, IL 60155
708-865-1000

Manufacturer Address
Chase Products Co.
2727 Gardner Road
Broadview, IL 60155
708-865-1000

**Emergency Telephone Number** 

**Company Phone Number** 708-865-1000 **24 Hour Emergency Phone Number** 1-800-255-3824

Emergency telephone ChemTel 1-800-255-3924

# 2. Hazards Identification

### Classification

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Gases Under Pressure	liquefied gas

### **Label Elements**

### **EMERGENCY OVERVIEW**

### **DANGER**

#### hazard statements

Causes severe skin burns and eye damage

Contains gas under pressure; may explode if heated



Appearance White foam Physical State Aerosol Odor Lemon

### **Precautionary Statements - Prevention**

Do not breathe fumes, mist, vapors or spray.

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves, protective clothing, eye protection and face protection.

### **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor

Specific treatment: See additional cautionary statements on this label.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor

IF SWALLOWED: rinse mouth. Do NOT induce vomiting

#### **Precautionary Statements - Storage**

Store locked up

Protect from sunlight. Store in a well-ventilated place

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

#### Other Information

· Harmful to aquatic life

Less than 2 % of the mixture consists of ingredient(s) of unknown toxicity.

# 3. Composition/information on Ingredients

**Synonyms** Disinfectant and cleaner.

Chemical FamilyMIXTURES.Formula7-7787-3

**Chemical nature** Aqueous solution of active ingredients, surfactants and cleaners.

Chemical name	CAS No	weight-%	Trade secret
Water	7732-18-5	85-90	*
N-Butane	106-97-8	1-5	*
Trisodium Phosphate Crystals	10101-89-0	1-5	*
2-Butoxyethanol	111-76-2	1-5	*
Propane	74-98-6	1-5	*

**Chemical Additions** 

# 4. First aid measures

### **FIRST AID MEASURES**

Eye Contact Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact

lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control

center or doctor for treatment advice.

Skin contact Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for treatment advise.

**Inhalation** If overcome by vapor, move person to fresh air.

**Ingestion** Ingestion from an aerosol product is unlikely to occur.

See label for active ingredients information.

<sup>\*</sup> The exact percentage (concentration) of composition has been withheld as a trade secret.

#### Most important symptoms and effects, both acute and delayed

Symptoms Irritating to the eyes on contact. May cause stinging, redness and swelling of the eyes. May

cause mild irritation. Prolonged and repeated contact may cause redness, burning, drying and cracking of the skin. 2-Butoxyethanol penetrates skin readily. Frequent or wide spread

contact may result on skin absorption of potentially harmful amounts.

#### Indication of any immediate medical attention and special treatment needed

Note to physicians None needed.

### 5. Fire-fighting measures

### Suitable extinguishing media

Dry chemical, CO2 or water spray.

**Unsuitable extinguishing media** Use water spray or fog; do not use straight streams.

#### Specific hazards arising from the chemical

Containers are under pressure. Temperatures above 130 °F may cause cans to burst.

Hazardous combustion products Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

### **Explosion data**

Sensitivity to Mechanical Impact Contents under pressure, keep away from heat and open flame.

Sensitivity to Static Discharge Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

motors and static electricity).

#### Protective equipment and precautions for firefighters

Use personal protective equipment as required.

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

**Personal precautions** CONTENTS UNDER PRESSURE. Do not puncture or incinerate cans.

Other Information Keep out of reach of children.

**Environmental precautions** 

**Environmental precautions** See Section 12 for additional Ecological Information.

### Methods and material for containment and cleaning up

Methods for Containment Provide adequate ventilation to area being treated. Soak up spills with chemically inert,

absorbent material.

Methods for cleaning up Clean contaminated surface thoroughly.

## 7. Handling and Storage

# Precautions for safe handling

Advice on safe handling Avoid contact with eyes. Avoid prolonged contact with the skin. Keep out of reach of

children.

### Conditions for safe storage, including any incompatibilities

Storage Conditions Store in a cool, dry place away from heat and open flame. Avoid storing at below-freezing

temperatures. AEROSOL STORAGE LEVEL I (NFPA-30B).

**Incompatible Materials** Avoid heat, open flame and contact with strong oxidizers.

# 8. Exposure Controls/Personal Protection

### Control parameters

See occupational exposure limits listed below. **Exposure guidelines** 

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
N-Butane	STEL: 1000 ppm explosion	(vacated) TWA: 800 ppm	IDLH: 1600 ppm
106-97-8	hazard	(vacated) TWA: 1900 mg/m <sup>3</sup>	TWA: 800 ppm
			TWA: 1900 mg/m <sup>3</sup>
2-Butoxyethanol	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m <sup>3</sup>	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m <sup>3</sup>
		(vacated) TWA: 120 mg/m <sup>3</sup>	
		(vacated) S*	
		S*	
Propane	: See Appendix F: Minimal	TWA: 1000 ppm	IDLH: 2100 ppm
74-98-6	Oxygen Content, explosion	TWA: 1800 mg/m <sup>3</sup>	TWA: 1000 ppm
	hazard	(vacated) TWA: 1000 ppm	TWA: 1800 mg/m <sup>3</sup>
		(vacated) TWA: 1800 mg/m <sup>3</sup>	_

### Appropriate engineering controls

**Engineering controls** Use with adequate general or local exhaust ventilation.

# Individual protection measures, such as personal protective equipment

Conventional eyeglasses to guard against splashing. **Eye/face Protection** 

**Skin and Body Protection** Household type gloves.

Use in a well-ventilated area ONLY. None required if used in a well-ventilated area. Follow Respiratory protection

label directions for correct use of the product..

Wash hands thoroughly after handling. General hygiene considerations

# 9. Physical and Chemical Properties

# Information on basic physical and chemical properties

**Physical State** Aerosol

**Appearance** White foam Odor Lemon

Color White Odor threshold No information available

Remarks • Method **Property** <u>Values</u> 12.5 No information available pН Melting point/freezing point NA No information available Boiling point/boiling range 212 °F/100 °C No information available Not Available. This is an aerosol **Flash Point** No information available

> product for which Flame Projection is 0 inches. Temperatures above 120 °F

may cause cans to burst.

Faster than butyl acetate No information available **Evaporation Rate** Flammability (solid, gas) No information available Flammability Limits in Air No information available

**Upper flammability limits** Not available

**Lower Flammability Limit** Not available

Not available No information available Vapor pressure **Vapor Density** No information available

**Relative Density** 1.005 +/- 0.005 concentrate No information available No information available Water solubility completely soluble

Solubility in other solventsNo information availablePartition coefficientNo information availableAutoignition TemperatureNo information availableDecomposition temperatureNo information availableKinematic viscosityNo information availableDynamic viscosityNo information available

**Explosive properties**Oxidizing properties
No information available
No information available

**Other Information** 

Softening point No information available No information available

**VOC content (%)** 6.92%

**Density** No information available

Bulk Density 8.37 Lb/gal

# 10. Stability and Reactivity

Reactivity

Not applicable No data available

**Chemical stability** 

Stable.

Possibility of hazardous reactions

Temperatures above 130 °F may cause cans to burst with force.

hazardous polymerization Hazardous polymerization does not occur.

**Conditions to Avoid** 

Temperatures above 122 °F (50 °C).

**Incompatible Materials** 

Avoid heat, open flame and contact with strong oxidizers.

Hazardous decomposition products

Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

# 11. Toxicological Information

Information on likely routes of exposure

**Product Information**This product has not been tested as whole. See below for information on ingredients.

**Inhalation** See data below.

Eye Contact No data available.

**Skin contact** No data available.

Ingestion This is an aerosol product, ingestion is unlikely to occur. MAY BE HARMFUL IF

SWALLOWED.

Chemical name	Oral LD50	dermal LD50	Inhalation LC50
Water	> 90 mL/kg (Rat)	-	-
7732-18-5			
N-Butane	=	=	= 658 g/m³ (Rat) 4 h
106-97-8			
Trisodium Phosphate Crystals	= 7400 mg/kg (Rat)	-	-
10101-89-0			
2-Butoxyethanol	= 470 mg/kg (Rat)	= 99 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h = 486 ppm (

111-76-2			Rat ) 4 h
Propane	-	-	> 800000 ppm (Rat) 15 min
74-98-6			

### Information on toxicological effects

**Symptoms** See information above.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** May cause skin irritation after contact with skin. 2-Butoxyethanol penetrates skin readily.

Frequent or wide spread contact may results on skin absorption of potentially harmful

amounts.

sensitizationNo information available.Germ cell mutagenicityNo information available.

Carcinogenicity Not known chronic effects based on available data. None of the ingredients present in

excess of 0.1% are listed as carcinogenic by NTP, IARC or OSHA.

Chemical name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol	A3	Group 3		
111-76-2				

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration Hazard
No information available.
No information available.
No information available.

### Numerical measures of toxicity - Product Information

**Unknown acute toxicity**Less than 2 % of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document ...

ATEmix (oral) 17518 mg/kg
ATEmix (dermal) 44000 mg/kg
ATEmix (inhalation-gas) 27894 mg/l
ATEmix (inhalation-dust/mist) 60 mg/l
ATEmix (inhalation-vapor) 8595 mg/l

# 12. Ecological Information

### ecotoxicity

6.1 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
2-Butoxyethanol 111-76-2		1490: 96 h Lepomis macrochirus mg/L LC50		1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48
		static 2950: 96 h Lepomis macrochirus mg/L LC50		h Daphnia magna mg/L EC50

# Persistence and degradability

No information available.

### **Bioaccumulation**

See information below.

Chemical name	Partition coefficient
N-Butane 106-97-8	2.89
2-Butoxyethanol 111-76-2	0.81
Propane 74-98-6	2.3

Other adverse effects No information available

# 13. Disposal Considerations

Waste treatment methods

Disposal of wastes Do not puncture or incinerate container. If empty: Place in trash or offer for recycling if

available. If partly filled: Call your local solid waste agency for disposal instructions.

**Contaminated packaging** Pressurized container: Do not pierce or burn, even after use.

# 14. Transport Information

DOT

UN/ID no Limited Quantity
Proper Shipping Name Consumer Commodity

Hazard Class ORM-D

**IATA** 

UN/ID no UN1950

Proper Shipping Name Aerosols, flammable

Hazard Class 2.1

<u>IMDG</u>

**UN/ID no** UN1950

Proper Shipping Name Aerosols, flammable

Hazard Class 2.1

# 15. Regulatory information

**International Inventories** 

TSCA All ingredients of this product are listed or are excluded from listing under the U.S. Toxic

Subtances Control Act (TSCA) Chemical Substance Inventory.

DSL All ingredients are listed or are excluded from listing on the DSL.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

## **US Federal Regulations**

### **SARA 313**

This product contains the following toxic chemicals (above the de minimis level) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and 40 CFR 372. This information must be included in all SDSs that are copied and distributed for this material.

Chemical name	CAS No	weight-%	SARA 313 - Threshold Values %
2-Butoxyethanol - 111-76-2	111-76-2	1-5	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard yes Chronic Health Hazard No

Fire Hazard No Sudden release of pressure hazard No Reactive Hazard No

### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Trisodium Phosphate Crystals				Х
10101-89-0				

## **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Trisodium Phosphate Crystals	5000 lb		RQ 5000 lb final RQ
10101-89-0			RQ 2270 kg final RQ

# **US State Regulations**

## **California Proposition 65**

This product does not contain any Proposition 65 chemicals

### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5			Х
N-Butane 106-97-8	Х	X	X
Trisodium Phosphate Crystals 10101-89-0		X	Х
2-Butoxyethanol 111-76-2	X	X	Х
Propane 74-98-6	Х	X	Х

### U.S. EPA Label information

EPA Pesticide registration number 498-62

### **EPA Statement**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: CAUTION: Do not spray in eyes. In case of eye contact, flush thoroughly with water. If irritation persists, get medical attention. Avoid spraying on food.

16. Other information				
NFPA	Health Hazards 1	Flammability 1	Instability 1	Physical and chemical properties Not applicable
<u>HMIS</u>	Health Hazards 1	Flammability 2	Physical hazards 1	Personal Protection B - Eyes and hands protection

Prepared by Regulatory Department

Issue date 09-Oct-2019

Revision note

This SDS supersedes a previous SDS dated January 17, 2019.

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**