

Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 20-Dec-2019

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name: CLEAN BY 4D

Product Number: 1011

Recommended Use: Disinfectant

Uses Advised Against: For Industrial and Institutional Use Only

Manufacturer/Supplier: Spartan Chemical Company, Inc.

1110 Spartan Drive

Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171

Transportation/Spill/Leak: CHEMTREC 800-424-9300

2. HAZARDS IDENTIFICATION

GHS Classification

Acute Toxicity - Oral: Category 4
Acute toxicity - Inhalation (Dusts/Mists) Category 4
Serious Eye Damage/Eye Irritation: Category 1
Flammable Liquids Category 4

GHS Label Elements

Signal Word: Danger Symbols:



Hazard Statements: Harmful if swallowed.

Harmful if inhaled.

Causes serious eye damage

Combustible liquid

Precautionary Statements:

Prevention: Wash hands and any exposed skin thoroughly after handling.

Do not eat, drink or smoke when using this product Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area

Wear protective gloves. Wear eye / face protection. Wear protective clothing. Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Response:

-Eyes IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR

PHYSICIAN.

-Inhalation: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Call a POISON CENTER or doctor if you feel unwell

-Ingestion:
 -Specific Treatment:
 IF SWALLOWED: Call a poison center or physician if you feel unwell. Rinse mouth.
 -Specific Treatment:
 See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Fire: In case of fire: Use CO2, dry chemical, or foam to extinguish

Storage: Store in a well-ventilated place. Keep cool

Disposal: Dispose of contents and container in accordance with local, state and federal regulations.

Hazards Not Otherwise Classified: Not Applicable

Other Information:

• May cause skin irritation.
• Keep out of reach of children.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
Hydrogen Peroxide	7722-84-1	3-7
Dicapryl/Dicaprylyl Dimonium Chloride	68424-95-3	1-5
Alkyl C12-16 Dimethylbenzyl Ammonium Chloride	68424-85-1	1-5
Trisodium Dicarboxymethyl Alaninate	164462-16-2	1-5
Alcohol	64-17-5	1-5
Citric Acid	77-92-9	1-5
C9-11 Alkyl Glucoside	132778-08-6	0.1-1
Tetramethyl Acetyloctahydronaphthalenes	54464-57-2	<0.1
Ethylene Brassylate	105-95-3	<0.1
Verdyl Acetate	5413-60-5	<0.1
2,4-Dimethyl-3-Cyclohexene Carboxaldehyde	68039-49-6	<0.1
Acid Red 52	3520-42-1	<0.1
Acid Blue 80	4474-24-2	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

-Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

-Skin Contact: Wash with soap and water. If skin irritation occurs: Get medical attention.

-Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

poison control center or physician if you feel unwell.

-Ingestion: Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Get medical attention if you feel unwell.

Note to Physicians: Contains hydrogen peroxide. Ingestion may result in distention of esophagus and stomach.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Use, Water spray (fog), Carbon dioxide, Foam, Dry chemical **Unsuitable Extinguishing Media:** Do not use a solid water stream as it may scatter and spread fire.

Specific Hazards Arising from theCombustion products are toxic. Releases oxygen when heated to decomposition which may intensify fire. Risk of overpressure and bursting due to decomposition in containers, pipes

and other confined spaces.

Hazardous Combustion Products: May include Carbon monoxide Carbon dioxide and other toxic gases or vapors. On

decomposition product releases oxygen which may intensify fire

Protective Equipment and Precautions for Firefighters:

Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full

protective gear. Cool fire-exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Use personal

protective equipment as required.

Environmental Precautions:

Do not rinse spill onto the ground, into storm sewers or bodies of water. Methods for Clean-Up:

Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite)

and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Advice on Safe Handling: Handle in accordance with good industrial hygiene and safety practice. Do not return

product to original container. Do not confine product in unvented containers or between

closed valves. Wash thoroughly after handling.

Store containers upright and tightly closed using vented closures to prevent pressure **Storage Conditions:**

build-up. Store in accordance with the particular national regulations. Elevated

temperatures accelerate product decomposition.

Sodium hypochlorite (or other hypochlorites). Metals. **Incompatible Materials:**

Suggested Shelf Life: 1 year from date of manufacture.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
Hydrogen Peroxide	TWA: 1 ppm	TWA: 1 ppm	IDLH: 75 ppm
7722-84-1		TWA: 1.4 mg/m ³	TWA: 1 ppm
		(vacated) TWA: 1 ppm	TWA: 1.4 mg/m ³
		(vacated) TWA: 1.4 mg/m ³	_
Alcohol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
64-17-5		TWA: 1900 mg/m ³	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m ³
		(vacated) TWA: 1900 mg/m ³	_

Engineering Controls: Provide good general ventilation.

> If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other

engineering controls should be considered.

Eye wash stations and shower facilities should be readily accessible in areas where the

product is handled.

Personal Protective Equipment

Eye/Face Protection:

Wear splash goggles.

Skin and Body Protection: Wear rubber or other chemical-resistant gloves.

Respiratory Protection: Not required with expected use.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a

NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section

3 should be considered.

Wash hands and any exposed skin thoroughly after handling. **General Hygiene Considerations:**

See 29 CFR 1910.132-138 for further guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Liquid
Color:	Purple
Odor:	Mild
pH:	4.0-6.0
Melting Point / Freezing Point:	No information available.
Boiling Point / Boiling Range:	> 74 °C / 166 °F
Flash Point:	74 °C / 166 °F ASTM D56
Evaporation Rate:	< 1 (BuAc = 1)
Flammability (solid, gas)	No information available.
Upper Flammability Limit:	No information available.
Lower Flammability Limit:	No information available.
Vapor Pressure:	No information available.
Vapor Density:	No information available.
Specific Gravity:	1.031
Solubility(ies):	Miscible in water
Partition Coefficient:	No information available.
Autoignition Temperature:	No information available.
Decomposition Temperature:	No information available.
Viscosity:	No information available.

10. STABILITY AND REACTIVITY

Reactivity: This material is considered to be non-reactive under normal conditions of use.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Contact with sodium hypochlorite (or other hypochlorites) releases chlorine gas. **Conditions to Avoid:** Heat, flames and sparks. High temperature accelerates decomposition of product.

Incompatible Materials: Sodium hypochlorite (or other hypochlorites). Metals.

Hazardous Decomposition May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.

Products: Releases oxygen when heated to decomposition which may intensify fire.

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Eyes, Skin, Ingestion, Inhalation.

Symptoms of Exposure:

-Eye Contact: Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause

permanent damage.

-Skin Contact: Pain, redness and cracking of the skin.
-Inhalation: Nasal discomfort and coughing.

-Ingestion: Pain, nausea, vomiting and diarrhea. Contains hydrogen peroxide. Ingestion may result in

distention of esophagus and stomach.

Immediate, Delayed, Chronic Effects

Product Information: Data not available or insufficient for classification.

Numerical Measures of Toxicity

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral): 2168 mg/kg
ATEmix (dermal): 30547 mg/kg
ATEmix (inhalation-dust/mist): 3.8 mg/l

Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water	> 90 mL/kg (Rat)	Not Available	Not Available
7732-18-5			
Hydrogen Peroxide	= 1518 mg/kg (Rat)	= 2000 mg/kg (Rabbit) = 4060	= 2 g/m³ (Rat) 4 h
7722-84-1		mg/kg (Rat)	
Alkyl C12-16 Dimethylbenzyl	= 426 mg/kg (Rat)	Not Available	Not Available
Ammonium Chloride			
68424-85-1			

Alcohol 64-17-5	= 7060 mg/kg (Rat)	Not Available	= 124.7 mg/L (Rat) 4 h
Citric Acid 77-92-9	= 3 g/kg(Rat)	Not Available	Not Available
Acid Blue 80 4474-24-2	= 3350 mg/kg (Rat)	Not Available	Not Available

Carcinogenicity: The table below indicates whether each agency has listed any ingredient as a carcinogen.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Hydrogen Peroxide 7722-84-1	Not Available	16.4: 96 h Pimephales promelas mg/L LC50 18 - 56: 96 h Lepomis macrochirus mg/L LC50 static 10.0 - 32.0: 96 h Oncorhynchus mykiss mg/L LC50 static	Not Available	18 - 32: 48 h Daphnia magna mg/L EC50 Static
Alcohol 64-17-5	Not Available	12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	Not Available	9268 - 14221: 48 h Daphnia magna mg/L LC50 2: 48 h Daphnia magna mg/L EC50 Static
Citric Acid 77-92-9	Not Available	1516: 96 h Lepomis macrochirus mg/L LC50 static	Not Available	Not Available

<u>Persistence and Degradability:</u> No information available. <u>Bioaccumulation:</u> No information available.

Other Adverse Effects: No information available.

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes:Contaminated Packaging:
Dispose of in accordance with federal, state and local regulations.
Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT: Not Regulated

UN/ID No: Non-Hazardous Product

Special Provisions: This product qualifies for exemptions outlined in 49CFR 170.150(e)2. Aqueous solutions of

alcohol containing 24% of less alcohol by volume and no other hazardous material is not subject to the requirements of the Class 3 Flammable Liquids subchapeter if it contains no

less than 50% water.

Special Provisions: Combustible Liquid materials meet the exception requirements of section 49 CFR 173.150

when individual containers of not more than 1.3 gallons are packaged in a strong outer packaging and ground transportation is utilized. Such containers may be reclassified as

"Limited Quantity".

IMDG: Not Regulated

Proper Shipping Name: Non-Hazardous Product

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

Acute Health Hazard:
Chronic Health Hazard:
No
Fire Hazard:
Sudden release of pressure hazard:
No
Reactive Hazard:
Yes
No
Yes

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

EPA Pesticide Registration Number: 5741-30

EPA Statement:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA Pesticide Label:

DANGER. Corrosive. Causes irreversible eye damage and skin burns. May be fatal if inhaled. Harmful if absorbed through the skin. Harmful if swallowed. Do not get in eyes, on skin or on clothing Wear protective eye wear (goggles/face shield), rubber gloves and protective clothing (coveralls over long-sleeved shirt and long pants; socks and chemical resistant footwear; chemical resistant gloves.), and a NIOSH-approved particulate filtering facepiece respirator with any N, R or P filter; OR a NIOSH-approved elastomeric particulate respirator with any N, R, or P filter; OR a NIOSH-approved powdered air purifying respirator with HE filters. Do not breathe spray or mist. Wash thoroughly with soap and water after handling and before eating, drinking, smoking tobacco, chewing gum, or using the toilet. Remove contaminated clothing and wash clothing before reuse.

16. OTHER INFORMATION

NFPA Health Hazards: 3 Flammability: 2 Instability: 1 Special: N/A

HMIS Health Hazards: 3 Flammability: 2 Physical Hazards: 1

Revision Date: 20-Dec-2019 **Reasons for Revision:** New product

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet