

# Safety Data Sheet

Version 3

# 1. Identification of the Substance/Preparation and of the Company/Undertaking

<u>Product Identifier</u> Product name Chemical name	CHAMPION SPRAYON CARPET SPOT & STAIN REMOVER 7-7872-5
Other means of identification	
Product code	FG 438-5146-10
Synonyms	Spot and stain remover
<u>Recommended use of the che</u> Recommended Use Uses advised against	mical and restrictions on use Carpets and upholstered surfaces. DO NOT USE ON FLOORS
Details of the supplier of the s	afety data sheet
Supplier Address	Manufacturer Address
Chase Products Co.	Chase Products Co.
2727 Gardner Road	2727 Gardner Road
Broadview, IL 60155	Broadview, IL 60155
708-865-1000	708-865-1000
Emergency Telephone Number	2708 865 1000

Emergency Telephone Number708-865-1000Company Phone Number708-865-100024 Hour Emergency Phone Number1-800-255-3924Emergency telephoneChemTel 1-800-255-3924

### 2. Hazards Identification

### **Classification**

Acute toxicity - Inhalation (Gases)	Category 4
Skin sensitization	Category 1
FLAMMABLE AEROSOLS	Category 2
Gases Under Pressure	liquefied gas

### Label Elements

### **EMERGENCY OVERVIEW**

Warning

hazard statements HARMFUL IF INHALED May cause an allergic skin reaction Flammable Aerosol Contains gas under pressure; may explode if heated



Appearance aerosolized.	Clear liquid that will be	Physical State	Aerosol	Odor	Perfumed.

### **Precautionary Statements - Prevention**

Avoid breathing fumes, mist, vapors or spray. Use only outdoors or in a well-ventilated area Contaminated work clothing should not be allowed out of the workplace Wear protective gloves Keep away from heat, sparks, open flames and hot surfaces. — No smoking Pressurized container: Do not pierce or burn, even after use Do not spray on an open flame or other ignition source

### **Precautionary Statements - Response**

Specific treatment: See additional cautionary statements on this label. IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor if you feel unwell

### **Precautionary Statements - Storage**

Protect from sunlight. Store in a well-ventilated place Do not expose to temperatures exceeding 122 °F (50 °C)

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Other Information\_\_\_\_\_\_ 3.88% of the mixture consists of ingredient(s) of unknown toxicity

### 3. Composition/information on Ingredients

Common Name	Spot and stain remover.		
Synonyms	Spot and stain remover.		
Chemical Family	MIXTURES.		
Formula	7-7872-5		
Chemical nature	Aqueous solution of organic solvent.		

Chemical name	CAS No	weight-%	Trade secret
Water	7732-18-5	75-80	*
2-Butoxyethanol	111-76-2	5-10	*
N-Butane	106-97-8	1-5	*
Dimethyl Glutarate	1119-40-0	1-5	*
Propane	74-98-6	1-5	*
Dimethyl Adipate	627-93-0	<1	*

Chemical Additions

Hazardous components according to OSHA, are listed when present at 1% or greater. Carcinoges are listed when present at 0.1% or greater.

\* The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. First aid measures

### FIRST AID MEASURES

Eye Contact

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

### FG 438-5146-10 CHAMPION SPRAYON CARPET SPOT & STAIN REMOVER

Skin contact	In case of contact, immediately flush skin with plenty of water. Wash skin with soap and water. If irritation develops, consult a physician.		
Inhalation	If overcome by vapor, move person to fresh air. Restore respiration if necessary. Get medical attention if injury develops.		
Ingestion	Ingestion from an aerosol product is unlikely to occur.		
Most important symptoms and effects, both acute and delayed			
Symptoms	Acute: Prolonged inhalation of concentrated vapor or mist may cause headaches, dizziness and nausea. Prolonged and repeated contact with skin may cause irritation and reddening. Contact with eyes causes irritation. Chronic: 2-butoxyethanol may cause hemolysis of the blood cells leading to possible liver and kidney damage.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	None needed		

Note to physicians	None needed.
--------------------	--------------

### 5. Fire-fighting measures

# Suitable extinguishing media

Dry chemical, CO2 or water spray.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

### Specific hazards arising from the chemical

This product is under pressure. Water spray may be used to cool cans in the vicinity of fire or excessive heat to prevent the explosion of the cans.

Hazardous combustion products Thermal decomposition may release carbon monoxide and carbon dioxide.

### Explosion data

Sensitivity to Mechanical ImpactContents under pressure, keep away from heat and open flame.Sensitivity to Static DischargeKeep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric<br/>motors and static electricity).

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Use with adequate general or local exhaust ventilation.	
For emergency responders	Remove all sources of ignition.	
Environmental precautions		
Environmental precautions	Contains d-limonene which is consider as marine pollutant by DOT.	
Methods and material for containment and cleaning up		
Methods for Containment	Provide adequate ventilation to area being treated. Soak up spills with chemically inert, absorbent material.	
Methods for cleaning up	Clean contaminated surface thoroughly.	
7. Handling and Storage		

8. Exposure Controls/Personal Protection		
Incompatible Materials	Avoid heat, open flame and contact with strong oxidizers.	
Storage Conditions	Store in a cool, dry place away from heat and open flame. Keep out of reach of children. AEROSOL STORAGE LEVEL I (NFPA-30B) .	
Conditions for safe storage, includ	ing any incompatibilities	
Advice on safe handling	Do not deliberately inhale vapor or spray mist. Avoid getting spray into eyes.	
Precautions for safe handling		

### Control parameters

**Exposure guidelines** 

See occupational exposure limits listed below.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-Butoxyethanol	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m <sup>3</sup>	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m <sup>3</sup>
		(vacated) TWA: 120 mg/m <sup>3</sup>	-
		(vacated) S*	
		`S*´	
N-Butane	STEL: 1000 ppm explosion	(vacated) TWA: 800 ppm	IDLH: 1600 ppm
106-97-8	hazard	(vacated) TWA: 1900 mg/m <sup>3</sup>	TWA: 800 ppm
			TWA: 1900 mg/m <sup>3</sup>
Propane	: See Appendix F: Minimal	TWA: 1000 ppm	IDLH: 2100 ppm
74-98-6	Oxygen Content, explosion	TWA: 1800 mg/m <sup>3</sup>	TWA: 1000 ppm
	hazard	(vacated) TWA: 1000 ppm	TWA: 1800 mg/m <sup>3</sup>
		(vacated) TWA: 1800 mg/m <sup>3</sup>	-

### Appropriate engineering controls

Engineering controls	Use with adequate general or local exhaust ventilation.		
Individual protection measures, su	Individual protection measures, such as personal protective equipment		
Eye/face Protection	Conventional eyeglasses to guard against splashing.		
Skin and Body Protection	Rubber, vinyl or household type gloves required.		
Respiratory protection	Use in a well-ventilated area ONLY. None required if used in a well-ventilated area. Follow label directions for correct use of the product.		
General hygiene considerations	Wash hands thoroughly after handling. Wash contaminated clothing before reuse.		

# 9. Physical and Chemical Properties

### Information on basic physical and chemical properties

Physical State Appearance Color	Aerosol Clear liquid that will be aerosolized. clear	Odor Odor threshold	Perfumed. No information available
<u>Property</u> pH Melting point/freezing point Boiling point/boiling range Flash Point	<u>Values</u> 10.4 +/- 0.5 Not applicable Water 212 °F/100 °C This product is very similar in composition to another product which was tested for Enclosed Space Ignitio Test. Since that products is a Categor	n	

	2 flammable aerosol, this product is	
	also considered Category 2 flammable	9
	aerosol.	
Evaporation Rate	Faster than butyl acetate	No information available No information available
Flammability (solid, gas) Flammability Limits in Air		No information available
Upper flammability limits	Not available	No information available
Lower Flammability Limit	Not available	
Vapor pressure		No information available
Vapor Density		No information available
Relative Density	0.996 concentrate	No information available
Water solubility		Soluble in water
Solubility in other solvents		No information available
Partition coefficient		No information available No information available
Autoignition Temperature Decomposition temperature		No information available
Kinematic viscosity		No information available
Dynamic viscosity		No information available
Explosive properties	No information available	
Oxidizing properties	No information available	
Other Information		
Softening point	No information available	
Molecular weight	No information available	
VOC content (%)	14.5	
Density	8.29 lb/gal	
Bulk Density	No information available	
	10. Stability and React	ivity
Reactivity		
Not applicable	Not applicable	
••		

### **Chemical stability**

Stable.

### Possibility of hazardous reactions

Temperatures above 130 °F may cause cans to burst with force.

### hazardous polymerization

Hazardous polymerization does not occur.

### **Conditions to Avoid**

Temperatures above 122 °F (50 °C).

### **Incompatible Materials**

Avoid heat, open flame and contact with strong oxidizers.

<u>Hazardous decomposition products</u> Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

### **11. Toxicological Information**

### Information on likely routes of exposure

Product Information	Primary routes of entry: Eye contact, skin contact, inhalation, ingestion (possible, but consider unlikely).
Inhalation	Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and nausea.

### FG 438-5146-10 CHAMPION SPRAYON CARPET SPOT & STAIN REMOVER

Eye Contact	Can cause irritation after contact with eyes.
Skin contact	May cause skin irritation after contact with skin. 2-Butoxyethanol penetrates skin readily. Frequent or wide spread contact may results on skin absorption of potentially harmful amounts.
Ingestion	This is an aerosol product, ingestion is unlikely to occur. 2-Butoxyethanol may cause red blood cell hemolysis and possible liver and kidney damage.

Chemical name	Oral LD50	dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
2-Butoxyethanol 111-76-2	= 470 mg/kg (Rat)	= 435 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h = 486 ppm (Rat) 4 h
N-Butane 106-97-8	-	-	= 658 g/m <sup>3</sup> (Rat) 4 h
Dimethyl Glutarate 1119-40-0	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 5.6 mg/L (Rat)4 h
Propane 74-98-6	-	-	> 800000 ppm (Rat)15 min
Dimethyl Adipate 627-93-0	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-

### Information on toxicological effects

Symptoms

Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and nausea.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	May cause skin irritation after contact with skin. 2-Butoxyethanol penetrates skin readily. Frequent or wide spread contact may results on skin absorption of potentially harmful amounts.
Serious eye damage/eye irritation	Irritating to eyes.
corrosivity	Not applicable.
sensitization	No a skin sensitizer.
Germ cell mutagenicity	No information available.
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol	A3	Group 3		
111-76-2				

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration Hazard	Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and
-	nausea.

### Numerical measures of toxicity - Product Information

Unknown acute toxicity	3.88% of the mixture consists of ingredient(s) of unknown toxicity
The following values are calculated	based on chapter 3.1 of the GHS document
ATEmix (oral)	5112 mg/kg
ATEmix (dermal)	10636 mg/kg
ATEmix (inhalation-gas)	7746 mg/l
ATEmix (inhalation-dust/mist)	21.2 mg/l
ATEmix (inhalation-vapor)	165.8 mg/l

# **12. Ecological Information**

ecotoxicity

### See information listed below.

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
2-Butoxyethanol 111-76-2		1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50		1000: 48 h Daphnia magna mg/L EC50
Dimethyl Glutarate 1119-40-0		19.6 - 26.2: 96 h Pimephales promelas mg/L LC50 static		122.1 - 163.5: 48 h Daphnia magna mg/L EC50

### Persistence and degradability

No information available.

### **Bioaccumulation**

No information available.

Chemical name	Partition coefficient
2-Butoxyethanol	0.81
111-76-2	
N-Butane	2.89
106-97-8	
Propane	2.3
74-98-6	

Other adverse effects

No information available

### 13. Disposal Considerations

Waste treatment methods	
Disposal of wastes	Dispose of in accordance with federal, state and local regulations.
Contaminated packaging	Pressurized container: Do not pierce or burn, even after use. Do not puncture or incinerate container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions.

# 14. Transport Information

DOT
UN/ID no
Proper Shipping Name
Hazard Class

Limited Quantity Consumer Commodity NA

IATA UN/ID no Proper Shipping Name Hazard Class

### IMDG

UN/ID no Proper Shipping Name Hazard Class Marine pollutant UN1950 Aerosols, flammable 2.1

UN1950 Aerosols, flammable 2.1 This product contains a chemical which is listed as a marine pollutant.

### 15. Regulatory information

### International Inventories TSCA

All ingredients of this product are listed or are excluded from listing under the U.S. Toxic Subtances Control Act (TSCA) Chemical Substance Inventory. All ingredients are listed or are excluded from listing on the DSL.

### DSL Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

### US Federal Regulations

### <u>SARA 313</u>

This product contains the following toxic chemicals (above the de minimis level) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and 40 CFR 372. This information must be included in all SDSs that are copied and distributed for this material.

Chemical name	CAS No	weight-%	SARA 313 - Threshold Values %
2-Butoxyethanol - 111-76-2	111-76-2	5-10	1.0

### SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

### US State Regulations

### California Proposition 65

This product does not contain any Proposition 65 chemicals

### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5			Х
2-Butoxyethanol 111-76-2	Х	X	Х
N-Butane 106-97-8	Х	X	Х
Propane 74-98-6	Х	X	Х

### U.S. EPA Label information

EPA Pesticide registration number Not applicable

16. Other information					
<u>NFPA</u>	Health Hazards 2	Flammability 1	Instability 1	Physical and chemical properties Not applicable	
<u>HMIS</u>	Health Hazards 2	Flammability 2	Physical hazards 1	Personal Protection B - Eyes and hands protection	
Prepared by Issue date Revision note	Regulatory Department 25-Jan-2022				

This SDS supersedes a previous SDS dated May 08, 2019. <u>Disclaimer</u>

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet